





F

G

H

I

J

K

GW 4T65E

Deluxe Kit	—	008
Compliance Kit	—	007
Master Kit	—	006
Less Steel Kit	—	004
Overhaul Kit	—	002
Bushing Kit	—	030
Washer Kit	—	200
Bearing Kit	—	201
Technical Manual	—	400
Pump Parts	—	507
Valve Body Parts	—	741
Case Parts	—	761

Note: Not All Items Are Available For All Transmissions.

ILL #	Description	Qty	Year	Part #	Reference
Super Kit With Steels (Deluxe)					
008K	. . .4T65E (w/ Bonded Pistons)*	.1	.97-02	.84008GPW	
008K	. . .4T65E (w/ Bonded Pistons)* (2003 w/ Sprag Type Input 1 Way Clutch)	.1	.2003	.84008GPW	
008K	. . .4T65E (w/ Bonded Pistons)* (2003 w/ Pawl Type Input 1 Way Clutch)	.1	.2003	.84008HPW	
008K	. . .4T65E (w/ Bonded Pistons)*	.1	.04-Up	.84008HPW	
N.I.	. . . * For Volvo also order this Subkit (w/ 4th Clutches, VB Gaskets and Axle Seal)	.1	.99-Up	.84001G	
Super Kit Less Steels (Compliance)					
007K	. . .4T65E (w/ Bonded Pistons)*	.1	.97-02	.84007GPW	
007K	. . .4T65E (w/ Bonded Pistons)* (2003 w/ Sprag Type Input 1 Way Clutch)	.1	.2003	.84007GPW	
007K	. . .4T65E (w/ Bonded Pistons)* (2003 w/ Pawl Type Input 1 Way Clutch)	.1	.2003	.84007HPW	
007K	. . .4T65E (w/ Bonded Pistons)*	.1	.04-Up	.84007HPW	
N.I.	. . . * For Volvo also order this Subkit (w/ 4th Clutches, VB Gaskets and Axle Seal)	.1	.99-Up	.84001G	
With Steel Kit (Master)					
006K	. . .4T65E (w/ Bonded Pistons)*	.1	.97-02	.84006GPW	
006K	. . .4T65E (w/ Bonded Pistons)* (2003 w/ Sprag Type Input 1 Way Clutch)	.1	.2003	.84006GPW	
006K	. . .4T65E (w/ Bonded Pistons)* (2003 w/ Pawl Type Input 1 Way Clutch)	.1	.2003	.84006HPW	
006K	. . .4T65E (w/ Bonded Pistons)*	.1	.04-Up	.84006HPW	
N.I.	. . . * For Volvo also order this Subkit (w/ 4th Clutches, VB Gaskets and Axle Seal)	.1	.99-Up	.84001G	
Less Steel Kit					
004K	. . .4T65E (w/ Bonded Pistons)*	.1	.97-02	.84004GPW	
004K	. . .4T65E (w/ Bonded Pistons)* (2003 w/ Sprag Type Input 1 Way Clutch)	.1	.2003	.84004GPW	
004K	. . .4T65E (w/ Bonded Pistons)* (2003 w/ Pawl Type Input 1 Way Clutch)	.1	.2003	.84004HPW	
004K	. . .4T65E (w/ Bonded Pistons)*	.1	.04-Up	.84004HPW	
N.I.	. . . * For Volvo also order this Subkit (w/ 4th Clutches, VB Gaskets and Axle Seal)	.1	.99-Up	.84001G	
Overhaul Kit w/ Rings & Seals					
002K	. . .4T65E *	.1	.99-Up	.84002GW	
N.I.	. . . * For Volvo also order this Subkit (w/ 4th Clutches, VB Gaskets and Axle Seal)	.1	.99-Up	.84001G	
Filters					
010K	. . .4T65E	.1	.97-Up	.84010E	.8641910
Filters Kits					
011K	. . .4T65E	.1	.97-Up	.84011E	
Filters, Miscellaneous					
012A	. . .Oil Pump Pressure Screen	.1	.97-Up	.84012	.24208456
016	. . .Screen, Shift Solenoid	3-4	.97-Up	.84016E	.8651658
016	. . .Screen, TCC Orifice	.1	.97-Up	.84016PA	.8658060
017	. . .Screen, Servo	.1	.97-Up	.84017A	.8651754
Bands					
.Prefix Key: B = Borg Warner, A = OEM (Exc BW), N = All Other New, R = Relined					
022D	. . .Forward (Rear)	.1	.97-Up	.84022E	.8651614
022D	. . .Forward (Rear) (Hi-Energy)	.1	.01-Up	.84022G	.24213361
024B	. . .Reverse (Front)	.1	.97-Up	.84024A	.8651653
024B	. . .Reverse (Front) (Hi-Energy)	.1	.01-Up	.84024G	.24213362
026D	. . .2-1 Coast (Center)	.1	.97-Up	.84026A	.8685155
Bushings					
030K	. . .Bushing Kit	.1	.97-Up	.84030G	
032E	. . .Converter Hub	.1	.97-Up	.64032B	.8637905
036F	. . .Drive Sprocket Support	.1	.97-Up	.54036A	.8628915
045B	. . .Driven Sprocket Support	.1	.97-Up	.84045	.8656357
046B	. . .2nd Clutch Housing (Front)	.1	.97-Up	.84046B	.8644098
046B	. . .2nd Clutch Housing (Rear)	.1	.97-Up	.84046	.8644099
048H	. . .Input Drum	.1	.97-Up	.84048	.8649661
048H	. . .Input Drum (w/ Oil Grooves)	.1	.97-Up	.84048A	
054J	. . .Final Drive Internal Gear Shaft	.2	.97-Up	.84054	.8649537

Fwd 4 Speed

ILL #	Description	Qty	Year	Part #	Reference
Bushings					
056D	.Rear Sun Gear (Forward Band Drum) (Front - Wide Bushing)	.1	.97-Up	.84056AA	.8651447
056D	.Rear Sun Gear (Forward Band Drum) (Rear - Narrow Bushing)	.1	.97-Up	.84056AB	.8651448
060E	.Extension Housing	.2-3	.97-Up	.64060	.8631119
061D	.2-1 Coast Drum (1 1/4" Wide) (Center Band Drum)	.1	.97-Up	.84061B	
Metal Clad Seals					
070E	.Converter	.1	.97-Up	.84070	.8664812
072K	.Manual Shaft	.1	.97-Up	.84072A	.8644709
076E	.Axle (Right Side) Exc Volvo	.1	.97-Up	.84076	.8631156
076E	.Axle (Right Side) Volvo	.1	.97-Up	.84076GA	.9445681
077A	.Axle (Left Side)	.1	.97-Up	.84077G	.24204330
Friction Plates					
100G	.4th Clutch .070" (32 T)	.2	.97-Up	.84100G	.24213074
100G	.4th Clutch (1 Sided Friction, Internal T) Volvo	.2	.99-Up	.84100GA	
120G	.4th Clutch (1 Sided, External T) Volvo	.2	.99-Up	.84120GA	
104B	.2nd Clutch .070" (42 T)	.6	.97-Up	.84104G	.24205361
106C	.3rd Clutch .079" (1 Sided, 32 Internal T)	.5	.97-Up	.84106B	.8668361
106C	.3rd Clutch .079" (1 Sided, 32 Internal T) (Hi-Energy)	.5	.01-Up	.84106C	.24216287
126C	.3rd Clutch .079" (1 Sided, 12 External T)	.5	.97-Up	.84126AB	.24200540
126C	.3rd Clutch .079" (1 Sided, 12 External T) (Hi-Energy)	.5	.01-Up	.84126C	.24216288
108C	.Input Clutch .065" (32 T)	.4	.97-Up	.84108A	.24202333
108C	.Input Clutch (30 T) (Used w/ Pawl Type Sprag)	.4	.03-Up	.84108B	.24216502
Steel Plates					
120G	.4th Clutch .083" (3 T)	.2	.97-Up	.84120G	.24208013
100G	.4th Clutch (1 Sided Friction, Internal T) Volvo	.2	.99-Up	.84100GA	
120G	.4th Clutch (1 Sided, External T) Volvo	.2	.99-Up	.84120GA	
124B	.2nd Clutch .068" (36 T)	.5	.97-Up	.84124G	.24204104
124B	.2nd Clutch .090" (36 T)	.AR	.97-Up	.84124GA	
125B	.2nd Clutch .065" (36 T) Waved	.1	.97-Up	.84125G	.24202950
106C	.3rd Clutch .079" (1 Sided, 32 Internal T)	.5	.97-Up	.84106B	.8668361
106C	.3rd Clutch .079" (1 Sided, 32 Internal T) (Hi-Energy)	.5	.01-Up	.84106C	.24216287
126C	.3rd Clutch .079" (1 Sided, 12 External T)	.5	.97-Up	.84126AB	.24200540
126C	.3rd Clutch .079" (1 Sided, 12 External T) (Hi-Energy)	.5	.01-Up	.84126C	.24216288
128C	.Input Clutch .076" (26 T)	.3-4	.97-Up	.64128	.8683084
128C	.Input Clutch .050" (26 T)	.3-4	.97-Up	.84128	.8651446
129	.Input Clutch .040" (26 T) (Waved)	.1	.97-Up	.64129	.8652126
N.I.	.Steel Module	.1	.97-Up	.84139G	
Pressure Plates					
.Prefix Key: D = Dealer, No Prefix = New Aftermarket, Q = Quality Inspected					
140G	.4th Clutch .128"	.1	.97-Up	.84140G	.24208014
144H	.2nd Clutch .227"	.1	.97-Up	.84144E	.24204105
145	.2nd Clutch Apply .152"	.1	.97-Up	.84148C	
146C	.3rd Clutch .150"	.1	.97-Up	.84146A	.8658083
148C	.Input Clutch Apply .190" (Top)	.1	.97-Up	.84148	.8658146
149C	.Input Clutch Backing .190" (Bottom)	.1	.97-Up	.84149	.8644166
Valve Body Recalibration Kits					
165K	.Shift Kit®, Corrects/Prevents Codes P1811-P0741	.1	.97-04	.T84167G	.SK4T65E
165K	.Valve Body Kit, Shift Correction Package	.1	.97-Up	.S84165G	.4T65-E Kit
165K	.Sure Cure Kit(req T-84754-TL3, T-F-84596-TL, T-VB-FIX)	.1	.97-Up	.S84174G	.SC-4T65E
165K	.Reamer for S84174G	.1	.97-Up	.T-84754-TL3	.84754-TL3
165K	.Reamer Kit for S84174G	.1	.97-Up	.T-F-84596-TL	.F-84596-TL
165K	.Reaming Fixture for T-F-84596-TL	.1	.97-Up	.T-VB-FIX	.VB-FIX
Sealing Rings					
175K	.Ring Kit	.1	.97-Up	.84175G	
178F	.Turbine Shaft (Front) (Solid)	.1	.97-Up	.64178AT	.8637170
178F	.Turbine Shaft (Rear) (Solid)	.2	.97-Up	.64178BT	.8643058

ILL #	Description	Qty	Year	Part #	Reference
Sealing Rings					
179B	. . .2nd Clutch Drum (.125" Wide Plastic)	.2	.97-E98	.84179T8683672
179B	. . .2nd Clutch Drum (.100" Wide Plastic)	.2	.L98-Up	.84179AT24209498
192A	. . .Input Clutch Accumulator (Teflon)	.1	.97-Up	.84192T8644398
195E	. . .-1-2 Reverse Servo (Teflon)	.1	.97-Up	.84195T8658160
538A	. . .Pump Vane Ring	.2	.97-Up	.845388644333
Thrust Washers					
200K	. . .Washer Kit	.1	.97-Up	.84200G
226B	. . .Driven Sprocket Support to 2nd Clutch Drum	.1	.97-Up	.84226G24204434
230H	. . .Input Drum 2.90-3.00mm (Orange-Green)	.1	.97-Up	.8423024204842
Thrust Washers					
230H	. . .Input Drum 3.05-3.15mm (Orange-Black)	.1	.97-Up	.84230A24204843
230H	. . .Input Drum 3.20-3.30mm (Orange)	.1	.97-Up	.84230B24204844
230H	. . .Input Drum 3.35-3.45mm (White)	.1	.97-Up	.84230C24204845
230H	. . .Input Drum 3.50-3.60mm (Blue)	.1	.97-Up	.84230D24204846
230H	. . .Input Drum 3.65-3.75mm (Pink)	.1	.97-Up	.84230E24204847
230H	. . .Input Drum 3.80-3.90mm (Brown)	.1	.97-Up	.84230EA24204848
230H	. . .Input Drum 3.95-4.05mm (Green)	.1	.97-Up	.84230G24204849
230H	. . .Input Drum 4.10-4.20mm (Black)	.1	.97-Up	.84230H24204850
230H	. . .Input Drum 4.25-4.35mm (Purple)	.1	.97-Up	.84230HA8658172
230H	. . .Input Drum 4.40-4.50mm (Purple-White)	.1	.97-Up	.84230J24204852
230H	. . .Input Drum 4.55-4.65mm (Purple-Blue)	.1	.97-Up	.84230JA8658174
230H	. . .Input Drum 4.70-4.80mm (Purple-Pink)	.1	.97-Up	.84230L8658175
230H	. . .Input Drum 4.85-4.95mm (Purple-Brown)	.1	.97-Up	.84230M8658176
230H	. . .Input Drum 5.00-5.10mm (Purple-Green)	.1	.97-Up	.84230N8658177
263	. . .4th Hub to Case Cover (3 Tabs) (Teflon Coated)	.1	.97-Up	.84263G24207063
278F	. . .Drive Sprocket to Channel Plate	.1	.97-Up	.84278G24204328
279F	. . .Drive Sprocket to Support (3 Round Solid Tabs)	.1	.97-00	.84279G24205121
279F	. . .Drive Sprocket to Support (3 Split Locking Tabs)	.1	.01-Up	.84279H24213762
280G	. . .4th Clutch Hub to Driven Sprocket	.1	.97-Up	.84280G24204839
281	. . .Driven Sprocket to Support (3 Legs)	.1	.97-Up	.84281G24204840
N.I.	. . .Repair Kit, Final Drive Planet (16 Steel Washers) (.981" OD, .556" ID)	.1	.97-Up	.84204A8665958
N.I.	. . .Repair Kit, Final Drive Planet (16 Steel Washers) (.850" OD, .440" ID)	.1	.97-Up	.84204B
N.I.	. . .Repair Kit, Final Drive Planet (8 Brass & 8 Steel Washers) Early	.1	.97-Up	.64204D
Bearings					
201K	. . .Bearing Kit	.1	.97-Up	.84201A
229H	. . .Bearing, 2nd Clutch Drum to Input Drum	.1	.97-Up	.842298649704
232H	. . .Bearing, Input Drum Rear	.1	.97-Up	.84232A8668422
238D	. . .Bearing, Front Planet to Rear Planet	.1	.97-Up	.842388646504
247J	. . .Bearing, Sun Gear to Diff Carrier 2.84 Ratio 2.00" OD	.1	.97-Up	.54247A8628962
247J	. . .Bearing, Sun Gear to Diff Carrier 3.06/33 Ratio 2.125" OD	.1	.97-Up	.842478646254
247J	. . .Bearing, Sun Gear to Diff Carrier (2.250" OD) (Stays in Diff Until Pinions are Removed) (For 30T Sun Gear)	.1	.97-Up	.84247A24202396
251D	. . .Bearing, Rear Planet to Sun Gear Drum	.1	.97-Up	.842518649353
254J	. . .Bearing, Park Gear to Ring Gear	.1	.97-Up	.84254A24202794
257J	. . .Bearing, Reaction Drum to Internal Ring Gear	.1	.97-Up	.842578644206
257J	. . .Race, Reaction Drum to Internal Ring Gear .140"	.1	.97-Up	.84257B24200584
275	. . .Axle Stabilizer, Passenger Side (w/ Bearing & Seal) (Teckpak)	.1	.97-Up	.T6427575125LRB
286D	. . .Bearing, Inner Sprag Race to Forward Drum	.1	.97-Up	.84286C741026
292J	. . .Bearing, Differential to Case	.1	.97-Up	.642928631362
295F	. . .Needle Bearing, Converter Reactor (Presses Inside)	.1	.97-Up	.642958631186
298G	. . .Needle Bearing, Driven Sprocket Support (Presses Inside)	.1	.97-Up	.842988644054
Spacers & Shims					
230H	. . .Shim Kit, (.010") (10 Per Kit) (Sonnax)	.1	.97-Up	.S84230S84733-10
230H	. . .Shim Kit, (.020") (10 Per Kit) (Sonnax)	.1	.97-Up	.S84230SA84733-20
293J	. . .Spacer, Differential to Case 1.45mm (#0)	.1	.97-Up	.642938631420
293J	. . .Spacer, Differential to Case 1.55mm (#1)	.1	.97-Up	.64293A8631421
293J	. . .Spacer, Differential to Case 1.65mm (#2)	.1	.97-Up	.64293B8631422
293J	. . .Spacer, Differential to Case 1.75mm (#3)	.1	.97-Up	.64293C8631423

ILL #	Description	Qty	Year	Part #	Reference
Spacers & Shims					
293J	.Spacer, Differential to Case 1.85mm (#4)	.1	.97-Up	.64293D	.8631424
293J	.Spacer, Differential to Case 1.95mm (#5)	.1	.97-Up	.64293E	.8631425
293J	.Spacer, Differential to Case 2.05mm (#6)	.1	.97-Up	.64293F	.8631426
293J	.Spacer, Differential to Case 2.15mm (#7)	.1	.97-Up	.64293G	.8631427
293J	.Spacer, Differential to Case 2.25mm (#8)	.1	.97-Up	.64293H	.8631428
293J	.Spacer, Differential to Case 2.35mm (#9)	.1	.97-Up	.64293J	.8631429
293J	.Shim, Differential Carrier to Case (Sonnax)	.1	.97-Up	S84293S	.75410-1
Gaskets & O-Rings					
300K	.Gasket, Bottom Pan, (Bonded) (8mm Pan Bolts) Retros 97-Up	.1	.97-Up	.84300EW	.24204624
300K	.Gasket, Bottom Pan, (Bonded) (6mm Pan Bolts)	.1	.L98-Up	.84300EAW	.24206182
301A	.Gasket, Side Cover (Outer) Bonded Gasket	.1	.97-Up	.84301GW	.24206959
301A	.Gasket, Side Case Cover (Inner) Lathe Cut	.1	.97-Up	.84301GA	.24205119
308E	.Gasket, Accumulator Cover (w/ Spacer Plate)	.1	.97-Up	.84308G	.24205621
313A	.O-Ring, Pump Slide Back-Up	.1	.97-Up	.84313	.8656760
314A	.Seal, Pump Slide (Rubber)	.1	.97-Up	.54314B	.8631283
315A	.Seal, Pump Slide (Teflon)	.1	.97-Up	.54315B	.8631877
320A	.Gasket, Valve Body Spacer Plate to Channel Plate	.1	.97-Up	.84320G	.24204500
Gaskets & O-Rings					
320A	.Gasket Kit, Valve Body Volvo	.1	.97-Up	.84320GAK	
321A	.Gasket, Valve Body to Spacer Plate	.1	.97-Up	.84321G	.24206578
325A	.Gasket, Channel Plate to Case (Lower)	.1	.97-Up	.84324G	.24212897
325A	.Gasket, Channel Plate to Case (Upper)	.1	.97-Up	.84325G	.24220217
325A	.Gasket, Upper Channel Plate (One Piece Design)	.1	.97-Up	.84325E	.8668064
330G	.Lip Seal, 4th Clutch Piston (Inner)	.1	.97-Up	.84330	.8644066
331G	.Lip Seal, 4th Clutch Piston (Outer)	.1	.97-Up	.84331	.8644061
334H	.Lip Seal, Input Clutch Piston (Inner)	.1	.97-Up	.84334	.8649836
335H	.Lip Seal, Input Clutch Piston (Outer)	.1	.97-Up	.84335	.8649837
336H	.Lip Seal, 3rd Clutch Piston (Inner)	.1	.97-Up	.84336	.8644919
348E	.Lathe Cut Seal, Extension Housing to Case	.1	.97-Up	.84348	.8651419
352E	.Lathe Cut Seal, 1-2 & 3-4 Accumulator Piston	.2	.97-Up	.54352A	.8635568
354F	.O-Ring, 3-4 Accumulator	.1	.97-Up	.84354A	.8651567
360	.Seal, 1-2 Servo Cover	.1	.97-Up	.84360	
362	.O-Ring, 2-1 Servo Cover to Case .132"	.1	.97-Up	.84362B	
363E	.Lip Seal, Reverse Servo Piston	.1	.97-Up	.84363A	.8658162
364E	.Lathe Cut Seal, 1-2 Servo Cover	.1	.97-Up	.84364B	
365K	.Lip Seal, 2-1 Servo Piston	.1	.97-Up	.84365A	.8651549
366K	.O-Ring, 2-1 Servo Piston Housing	.1	.97-Up	.84366A	.8651541
370	.O-Ring, Speed Sensor	.1	.97-Up	.84370	
371	.Boot, Filler Tube	.1	.97-Up	.44371B	.1259475
372	.O-Ring, Actuator Guide (Parking Pawl)	.1	.97-Up	.84372A	.8675086
376	.O-Ring, Converter Clutch Solenoid Screen	.1	.97-Up	.84376	.8658109
379K	.Seal, Filter Seal	.1	.97-Up	.84379	.8656613
380F	.O-Ring, Turbine Shaft	.1	.97-Up	.84380	.8662686
Technical Manuals					
400K	.Tech Manual, 4T65E	.1	.97-Up	.84400G	
Electrical Components					
410A	.Switch, MLPS (1 Connector w/ 6 Pins)	.1	.00-Up	.84410H	.24218238
410A	.Switch, MLPS (1 Connector w/ 7 Pins, 1 Connector w/ 4 Pins)	.1	.97-Up	.84410HA	.12450157
420	.Solenoid Master Kit	.1	.97-Up	.84420AK	
421	.Solenoid, 1-2, 3-4 Shift (A & B Solenoids) (Rostra)	.2	.97-Up	.14421A	.10478124
421	.Solenoid, 1-2, 3-4 Shift (OEM)	.2	.97-Up	.84421G	.24219819
425A	.Solenoid, Lock-up (TCC)	.1	.97-Up	.84425A	.24214974
431	.Solenoid, EPC	.1	.97-02	.84431G	.10478146
431	.Solenoid, EPC	.1	.03-Up	.84431H	.24225825
436E	.Sensor, Output Speed (VSS) (Short Connector 2" Tall)	.1	.97-99	.84436A	.10456034
436E	.Sensor, Output Speed (VSS) (Long Connector)	.1	.99-Up	.84436G	.10456568
438	.Sensor, Input Speed (TSS) (Exc 99-Up Volvo)	.1	.97-Up	.84438G	.10456509
438	.Sensor, Input Speed (TSS) (99-Up Volvo)	.1	.99-Up	.84438GA	

ILL #	Description	Qty	Year	Part #	Reference
Electrical Components					
442	Switch, Manifold (Pressure Range Sensor)	1	97-02	.84442G	.24218238
442	Switch, Manifold (Pressure Range Sensor) 1 Prong	1	03-Up	.84442H	.24216426
446A	Wire Harness, Internal (Universal Harness replaces 17, 17 & 19 Pin Connectors)	1	97-Up	.84446HB	
446A	Wire Harness, Internal (w/o Internal Mode Switch, 14 Pin Connector)	1	97-Up	.84446G	.12173217
446A	Wire Harness, Internal (w/ Internal Mode Switch, 19 Pin Connector)	1	00-Up	.84446H	.24221901
446A	Wire Harness, Internal (17 Pin Connector)	1	03-Up	.84446HA	.24237264
Pumps					
Prefix Key: AR = Reman, D = Dealer, A = New Aftermarket, Q = Quality Inspected, U = Used					
500A	Pump, No Pump Rotor Support (Cast # 24206183) (Cover Cast # 24205910)	1	97-02	.84500G	.24207956
500A	Pump, w/ Pump Rotor Support	1	02-Up	.84500H	.24226042
532	Pump Rotor	1	03-Up	.84532G	.24222718
507A	Pump Cover Sleeve	1	97-01	.64541	.8631288
529F	Converter Reactor, (3 1/4" Tall) (3.220" Long)	1	97-Up	.84529G	.24211875
533A	Vane, Pump 17.970mm	11	97-Up	.84533AB	.8644662
533A	Vane, Pump 17.988mm	11	97-Up	.84533AC	.8644663
534A	Slide, Pump 17.958mm	1	97-99	.84534AA	.8662900
534A	Slide, Pump 17.968mm	1	97-99	.84534AB	.8662901
534A	Slide, Pump 17.978mm	1	97-99	.84534AC	.8662902
534A	Slide, Pump 17.988mm	1	97-99	.84534AD	.8662903
534A	Slide, Pump 17.998mm	1	97-99	.84534AE	.8662904
538A	Ring, Pump Vane	2	97-Up	.84538	.8644333
Drums					
Prefix Key: AR = Reman, D = Dealer, A = New Aftermarket, Q = Quality Inspected, U = Used					
552B	2nd Clutch (25 Degree Splines)	1	97-Up	.84552G	.24213402
552B	2nd Clutch (10 Degree Splines) (retros 97-Up if used w/ 84624BA)	1	98-Up	.84552GA	.24212951
552B	2nd Clutch Housing & Shell (Upgrade) (10 Degree Splines)	1	97-Up	.84552GAK	
554H	Forward w/ Input Shaft (w/ Caged Bearing Inside)	1	97-Up	.84554G	.24211855
558D	Reaction w/ Sun Gear 3 1/4" Tall	1	97-Up	.84558B	.24201902
559D	Forward Band Drum (14 Roller Type Sprag)	1	97-Up	.84559B	.7471027
570G	4th Clutch Hub & Shaft (2 Sleeves)	1	97-99	.84570B	.24205603
570G	4th Clutch Hub & Shaft (32 T)	1	97-Up	.84570G	.24205603
562B	Piston Kit, 2nd Clutch (w/ Molded Rubber) (5 3/8" OD Piston)	1	97-Up	.84562G	
564H	Piston Kit, 3rd & Input Clutch	1	97-Up	.84564G	
Planets					
Prefix Key: AR = Reman, D = Dealer, A = New Aftermarket, Q = Quality Inspected, U = Used					
582I	Front (No Bushing) 12 Outer Lugs	1	97-Up	.84582G	.24204430
584D	Rear (Inner Splines Beveled on One End Only)	1	97-Up	.84584	.24205127
584D	Rear (Inner Splines Beveled Both Ends)	1	97-Up	.84584A	.24205127
598J	Ring Gear, Final Drive (70 Right Angled Teeth)	1	97-Up	.84598C	.8666642
Sun Gears, Shells & Supports					
Prefix Key: AR = Reman, D = Dealer, A = New Aftermarket, Q = Quality Inspected, U = Used					
612I	Sun Gear, Input (Front) (w/ 2 Flats on Splines, Bearing Type)	1	97-Up	.84612A	.24204098
612I	Sun Gear, Input (Front) (w/ 2 Flats on Splines, No Bearing Type)	1	97-Up	.84612B	
618J	Sun Gear, Final Drive 30 T	1	97-Up	.84618BA	.24209169
618J	Sun Gear, Final Drive 34 T	1	97-Up	.84618AA	.24201449
618J	Sun Gear, Final Drive 42 T	1	97-Up	.84618E	.24209238
624I	Shell, Reverse Reaction (25 Degree Splines)	1	97-Up	.84624B	
624I	Shell, Reverse Reaction (10 Degree Splines) (retros 97-Up is used w/ 84552GA)	1	98-Up	.84624BA	.24209481
Sprags					
646C	Sprag Assembly, 3rd Clutch & Low Input Assembly (1 Piece)	1	97-02	.84646BK	.24228599
646C	Sprag Assembly, 3rd Clutch (Mechanical Type)	1	03-Up	.84646D	.24216517
648C	Sprag Assembly, Input (Mechanical Type)	1	03-Up	.84648D	.24216816
652D	Sprag, 1-2 Roller (w/ 14 Roller, Plastic Cage)	1	97-Up	.84652A	.7471007
656C	Sprag, 3rd Clutch	1	97-Up	.84656C	
658C	Sprag, Low Input	1	97-Up	.84658C	
658C	Sprag Set, 3rd & Low Input	1	97-Up	.84658CK	.24204036

ILL #	Description	Qty	Year	Part #	Reference
Shafts					
.Prefix Key: AR = Reman, D = Dealer, A = New Aftermarket, Q = Quality Inspected, U = Used					
671F	.Pump Shaft, Oil Pump Drive (10" Long)	.1	.97-Up	.84671G	.24209284
673F	.Turbine Shaft, (6.250" Long)	.1	.97-Up	.84673G	.24208853
674J	.Shaft, Final Drive Sun Gear (6 1/4" Long)	.1	.97-Up	.84674B	.24202283
Miscellaneous Components					
683J	.Pick-Up, Speed Sensor (29 T)	.1	.97-Up	.84683A	.8651520
683J	.Pick-Up, Speed Sensor (30 T)	.1	.97-Up	.84683AA	.8651521
683J	.Pick-Up, Speed Sensor (31 T)	.1	.97-Up	.84683AB	
683J	.Reluctor Wheel, Input Speed Sensor (29 T)	.1	.97-Up	.84683AC	
690J	.Parking Gear	.1	.97-Up	.84690	.24202793
698D	.Oil Dam, Front Planet	.1	.97-Up	.84698	.8658368
Chains, Sprockets & Supports					
700F	.Chain, (w/ Mouse Ear Link & D Pins) (1/2" Wide) (Dual Chains)	.1	.97-Up	.84700G	
702B	.Scoop, Chain Scavenging (2nd Design) (For 33 T Sprocket)	.1	.97-Up	.84702B	.24201870
702B	.Scoop, Chain Scavenging (2nd Design) (For 35 T Sprocket)	.1	.97-Up	.84702C	.24201869
705F	.Sprocket, Drive (Gemini 33 T)	.1	.97-Up	.84705GA	.24216063
705F	.Sprocket, Drive (Gemini 35 T)	.1	.97-Up	.84705G	.8682598
705F	.Sprocket, Drive (Gemini 37 T)	.1	.97-Up	.84705GB	
706G	.Sprocket, Driven (Gemini 33 T)	.1	.97-Up	.84706GB	
706G	.Sprocket, Driven (Gemini 35 T)	.1	.97-Up	.84706G	
706G	.Sprocket, Driven (Gemini 37 T)	.1	.97-Up	.84706GA	
705F	.Chain & Sprocket Set, Gemini Design (33 Drive & 37 Driven)	.1	.97-Up	.84705GAK	
705F	.Chain & Sprocket Set, Gemini Design (35 Drive & 35 Driven)	.1	.97-Up	.84705GK	
705F	.Chain & Sprocket Set, Gemini Design (37 Drive & 33 Driven)	.1	.97-Up	.84705GBK	
713B	.Support, Driven Sprocket (1st Design Sealing Ring)	.1	.97-E98	.84713G	.24206327
713B	.Support, Driven Sprocket (2nd Design Sealing Ring)	.1	.L98-Up	.84713H	.24209098
Differentials					
.Prefix Key: AR = Reman, D = Dealer, A = New Aftermarket, Q = Quality Inspected, U = Used					
715J	.Differential Kit, 2.86 / 2.84 Ratio	.1	.97-Up	.84715CEK	
715J	.Differential Kit, 3.05 / 3.06 Ratio	.1	.97-Up	.84715AEK	
715J	.Differential Kit, 3.29 / 3.33 Ratio (non Bearing Support Design)	.1	.97-Up	.84715BEK	
715J	.Differential Kit, 3.29 / 3.33 Ratio (Bearing Support Design)	.1	.97-Up	.84715DEK	
715J	.34 T Sun Gear, 22 T Pinion, 29 T Pick-Up (3.29 Ratio)	.1	.97-Up	.84715BJ	
715J	.34 T Sun Gear, 22 T Pinion, 30 T Pick-Up (3.29 Ratio), Bushing in Extension Hsg	.1	.97-Up	.84715BL	
715J	.34 T Sun Gear, 22 T Pinion, 30 T Pick-Up (3.29 Ratio), Bearing in Extension Hsg	.1	.97-Up	.84715BLA	
715J	.34 T Sun Gear, 22 T Pinion, 31 T Pick-Up (3.29 Ratio)	.1	.97-Up	.84715BM	
715J	.38 T Sun Gear, 20 T Pinion, 29 T Pick-Up (3.05 Ratio)	.1	.97-Up	.84715AJ	
715J	.38 T Sun Gear, 20 T Pinion, 30 T Pick-Up (3.05 Ratio)	.1	.97-Up	.84715AL	
715J	.38 T Sun Gear, 20 T Pinion, 31 T Pick-Up (3.05 Ratio)	.1	.97-Up	.84715AM	
715J	.42 T Sun Gear, 18 T Pinion, 29 T Pick-Up (2.86 Ratio)	.1	.97-Up	.84715DJ	
715J	.42 T Sun Gear, 18 T Pinion, 30 T Pick-Up (2.86 Ratio)	.1	.97-Up	.84715DL	
715J	.42 T Sun Gear, 18 T Pinion, 31 T Pick-Up (2.86 Ratio)	.1	.97-Up	.84715DM	
Valve Bodies					
.Prefix Key: AR = Reman, D = Dealer, A = New Aftermarket, Q = Quality Inspected, U = Used					
740A	.Valve Body w/ Pump Rotor Support	.1	.97-02	.84740D	.24212572
740A	.Valve Body No Pump Rotor Support	.1	.02-Up	.84740E	
741	.Retainer, 1-2 Accumulator Primary Valve, Secondary, 2-4, & 3-4	.4	.97-Up	.84741EB-4	.8681510
741	.Boost Valve & Sleeve Kit (Sonnax)	.1	.91-99	.S84741F	.84754-30K
741	.Kit, 1-2 & Reverse Servo Boost Valve (Sonnax) (Req. T-84754-TL2)	.1	.91-99	.S84741GK	.84754-40K
N.I.	.Tool For S84741GK (Sonnax)	.1	.91-99	.T-84754-TL2	.84754-TL2
741	.Kit, TCC Regulated Apply Valve (Sonnax)	.1	.97-Up	.S84741QK	.84754-34K
N.I.	.Tool For S84741QK (Sonnax)	.1	.97-Up	.T-84754-TL3	.84754-TL3
741	.TCC Apply Valve w/ Teflon Seal (Sonnax)	.1	.97-Up	.S84741CD-1	.84754-43K
741	.Kit, AFL Valve & Sleeve (Sonnax) (req T-F-84596-TL)	.1	.97-Up	.S84741LK	.84596-02K
N.I.	.Reamer Kit for S84741LK (req T-VB-Fix)	.1	.97-Up	.T-F-84596-TL	.F-84596-TL
N.I.	.Reamin Fixture for T-F-84596-TL	.1	.97-Up	.T-VB-FIX	.VB-FIX

ILL #	Description	Qty	Year	Part #	Reference
Cases & Housings					
. Prefix Key: AR = Reman, D = Dealer, A = New Aftermarket, Q = Quality Inspected, U = Used					
755A	. . . Channel Plate, (Cast # 479) w/ Axle Stabilizer Bore	1	97-Up	.84755P	
755	. . . Sleeve, Channel Plate (Presses In Channel Plate)	1	97-Up	.A84755SA	.84596-01K
755	. . . Relief Valve, TCC Apply (Bag of 10) (Sonnax)	1	97-Up	.S84755A-1	.84755-01K
760E	. . . Case, (No Modulator)	1	97-Up	.84760D	.24211898
765K	. . . Pan, Bottom	1	97-Up	.84765B	
766K	. . . Pan, Side Cover	1	97-Up	.84766C	
770E	. . . Extension Housing w/ Bearing to Final Drive	1	97-Up	.84770D	
Snap Rings					
. Prefix Key: AR = Reman, D = Dealer, A = New Aftermarket, Q = Quality Inspected, U = Used					
862G	. . . Holds 4th Clutch Retainer (3 9/16" OD)	1	97-Up	.84862G	
873H	. . . Holds 2nd Clutch Beveled Pressure Plate In (.090") (Wire Type)	1	97-Up	.84873G	
874B	. . . Holds 2nd Clutch Retainer (3 1/4" OD)	1	97-Up	.84874G	
876C	. . . Holds Input Clutch Pressure Plate	1	97-Up	.84876	
877H	. . . Input Housing to 3rd Clutch Housing	1	97-Up	.84877	.8644726
878C	. . . Holds 3rd Clutch Pressure Plate	1	97-Up	.84878	.8644165
879H	. . . Holds 3rd Clutch Retainer	1	97-Up	.84877	.8644726
880F	. . . Holds Drive Gear to Turbine Shaft	1	97-Up	.84880	.8631210
884D	. . . Holds 1-2 Sprag In	1	97-Up	.84884	.5606009
887E	. . . Holds Reverse & 1-2 Servo In	1	97-Up	.84887	.8644091
888	. . . Holds Pinion Pins In Differential Housing	1	97-Up	.76874A	.11501326
874B	. . . Holds Pinion Pins In Differential Housing (Spiral)	1	97-Up	.76874A	.11501326
889J	. . . Holds Differential Ring Gear to Case	1	97-Up	.84889	.8631078
895I	. . . Output Shaft to Differential	1	97-Up	.84895	.8631136
Miscellaneous Components					
900K	. . . Servo Assembly, Manual 2-1 (Forward)	1	97-Up	.84900	.8651939
905E	. . . Servo Assembly, 1-2 (Lathe Cut Type Cover, No O-Ring Groove)	1	97-Up	.84905G	
906E	. . . Spring, 1-2 Servo Cushion (.215" Coil Diameter)	1	97-Up	.84906G	
907E	. . . Piston, 1-2 Servo (1" Tall)	1	97-Up	.84907G	
908	. . . Pin, 1-2 Servo (3.680")	1	97-Up	.84908H	.8651798
910E	. . . Servo Assembly, Reverse (Cover is 3/4" Overall Thickness)	1	97-Up	.84910G	
912E	. . . Piston, Reverse Servo	1	97-99	.84912	.8646922
914E	. . . Cover, Reverse Servo (Use 84909)	1	97-99	.84914	.8656530
926E	. . . Spring, 1-2 Accumulator (Orange/Green)	1	97-98	.84926	.8668487
927E	. . . Piston, 1-2 Accumulator (Aluminum replacement for plastic OEM design) Transgo	1	97-Up	.A84927D	.4T65-ACM
927E	. . . Piston, 1-2 Accumulator Deep Design (w/o Spring Recess)	1	97-99	.84927	.8651927
927E	. . . Piston, 1-2 Accumulator Deep Design (w/ Spring Recess)	1	97-99	.84927C	.8651933
927E	. . . Piston, 1-2 Accumulator Shallow Design (Can Use 84927C)	1	97-99	.84927B	.8651926
928E	. . . Pin, 1-2 & 2-3 Accumulator	1	97-99	.84928	.24208637
929E	. . . Cover, 1-2 & 2-3 Accumulator (Cast # 24203536)	1	97-Up	.84929G	
934E	. . . Accumulator Cover, w/ Tubes (Cast # 4X00317)	1	97-Up	.84934G	
935F	. . . Accumulator Assembly, 3-4 (w/ 1 3/4" Tall Cover)	1	97-Up	.84935G	
936A	. . . Spring, Middle Input (3-4 Accumulator)	1	97-99	.84936A	.8651596
936A	. . . Spring, Outer Input (3-4 Accumulator)	1	97-99	.84936B	.8651594
936A	. . . Spring, Inner Input (3-4 Accumulator) (Green/ Violet)	1	97-99	.84936C	.8651595
936A	. . . Spring, Inner Input (2-3 Accumulator) (Pink)	1	97-Up	.84936R	.8681456
937A	. . . Piston, 3-4 Accumulator (Aluminum)	1	97-Up	.84937A	.84234486
937A	. . . Piston, 3-4 Accumulator (Aluminum replacement for plastic OEM design) Transgo	1	97-Up	.A84927D	.4T65-ACM
938A	. . . Pin, Input or 3-4 Accumulator (1 3/4" Long)	1	97-99	.84938	.8682271
961G	. . . Piston, 4th Clutch	1	97-Up	.84961N	
962B	. . . Piston, 2nd Clutch Drum (5 3/8" OD) (Molded Rubber)	1	97-Up	.84962G	
964H	. . . Piston, Input Clutch (8 Clutches on 3rd Clutch)	1	97-Up	.84964	.24203479
964H	. . . Housing, Input & 3rd Clutch Piston Housing	1	97-Up	.84964B	.8662956
965H	. . . Piston, 3rd Clutch w/ Molded Rubber (No Ck Ball)	1	97-Up	.84965G	
971G	. . . Springs w/ Retainer, 4th Clutch (3 5/8" ID)	1	97-Up	.84971G	
972B	. . . Spring w/ Retainer, 2nd Clutch (1 7/16" Tall)	1	97-Up	.84972G	
974H	. . . Spring & Retainer, Input Clutch (14 Springs)	1	97-Up	.84974G	
985H	. . . Housing, 3rd Clutch (w/ Check Ball)	1	97-Up	.84985G	
994	. . . Park Rod	1	97-Up	.84994C	.24213560

ILL #	Description	Qty	Year	Part #	Reference
Miscellaneous Components					
996	.Connector, Cooler Line to Case (1 Req.)	.1	.00-Up	.74996B	.24205102
999K	.Retainer, Differential Lube Tube (Sonnax)	.1	.00-Up	.S84999-5	.84532-01K
Sonnax					
165K	.Valve Body Kit, Shift Correction Package	.1	.97-Up	.S84165G	.4T65-E Kit
293J	.Shim, Differential Carrier to Case	.1	.97-Up	.S84293S	.75410-10
999	.Retainer, Differential Lube Tube	.1	.00-Up	.S84999-5	.84532-01K
741	.Kit, AFL Valve & Sleeve (Sonnax) (req T-F-84596-TL)	.1	.97-Up	.S84741LK	.84596-02K
165K	.Reamer Kit for S84174G, S84741LK	.1	.97-Up	.T-F-84596-TL	.F-84596-TL
230H	.Shim Kit, (.010") (10 Per Kit)	.1	.97-Up	.S84230S	.84733-10
230H	.Shim Kit, (.020") (10 Per Kit)	.1	.97-Up	.S84230SA	.84733-20
741A	.Boost Valve & Sleeve Kit	.1	.91-99	.S84741F	.84754-30K
741A	.Kit, TCC Regulated Apply Valve	.1	.97-Up	.S84741QK	.84754-34K
741A	.Kit, 1-2 & Reverse Servo Boost Valve (Req. T-84754-TL2)	.1	.91-99	.S84741GK	.84754-40K
741A	.TCC Apply Valve w/ Teflon Seal	.1	.97-Up	.S84741CD-1	.84754-43K
N.I.	.Tool For S84741GK	.1	.91-99	.T-84754-TL2	.84754-TL2
N.I.	.Tool For S84741QK, S84174G	.1	.97-Up	.T-84754-TL3	.84754-TL3
755	.Relief Valve, TCC Apply (Bag of 10) (Sonnax)	.1	.97-Up	.S84755A-1	.84755-01K
165K	.Sure Cure Kit(req T-84754-TL3, T-F-84596-TL, T-VB-FIX)	.1	.97-Up	.S84174G	.SC-4T65E
165K	.Reaming Fixture for T-F-84596-TL	.1	.97-Up	.T-VB-FIX	.VB-FIX

GM 4T65E